



**LIVE IN A
HEALTHIER
ENVIRONMENT
WITH
GLOBAL POWER
VACUUM CLEANER**



GP6263B

Specifications

Model number	GP6263B
Power / (W)	1100W/ 220V/ 50Hz
Air flow (m3/Min)	1.7+-0.15/ 1.8+-01.5
Vacuum pressure (Kpa)	16+-1.5/17+-1.5
Noice (LpA)	80+-2 dB(A)
Dust capacity	12L
Cable length	2m
Material	Steel tank
Filter	Hepa
Product size	280x252x412 mm
GW/NW (KG)	3.8/2.6



Wet cleaning



Carpet use



Gap use



Blower function



Safety switch

Features

- Wet cleaning
- Carpet cleaning
- Gap use
- Blower function
- Accessories storage
- Safety switch
- Metal tank with electric-shock safeguard

Standard accessories



Specifications

GP6238

Model number	GP6238
Power / (W)	1200W 220V 50/60Hz
Air flow (m3/Min)	1.95+-0.15
Vacuum pressure (Kpa)	19+-1.5
Noice (LpA)	80+-2 dB(A)
Dust capacity	16L
Cable length	2m
Material	Plastic tank
Filter	Hepa
Product size	342x355x422 mm
GW/NW (KG)	6.5/5.5



Wet cleaning



Carpet use



Gap use



Accessories storage



Cable storage



Standard accessories



Specifications

GP6273 (20L) , GP6273 (40L)

Model number	GP6273 20L	GP6273 40L_Heavy duty
Power / (W)	1400W /220V /50Hz	1400W /220V /50Hz
Air flow (m3/Min)	1.7+-0.15	1.7+-0.15
Vacuum pressure (Kpa)	17+-1.5	17+-1.5
Noice (LpA)	75+-2 dB(A)	75+-2 dB(A)
Dust capacity	20L	40L
Cable length	2m	2m
Material	Steel tank	Steel tank
Filter	Hepa	Hepa
Product size	414x368x532 mm	414x368x770 mm
GW/NW (KG)	9.5/8.5	10.5/9.5



Wet cleaning



Carpet use



Gap use



Accessories storage



1.Power tool socket (optional)
2.Blower function



Safety switch

Standard accessories



Features

- Blower function
- Power tool socket (optional)
- Accessories storage
- Safety switch
- Metal tank with electric-shock safeguard
- Handrail for 40L

Specifications

GPVC70

Model number	GPVC70_Heavy duty
Power / (W)	3000W_2 motor_ 220V 50Hz
Air flow (m3/Min)	1.7+-0.15 / 2.5+-0.15
Vacuum pressure (Kpa)	16.5+-1.5 / 17.5+-1.5
Noice (LpA)	78+-2 / 80+-2 dB(A)
Dust capacity	70L
Cable length	5m
Material	Steel tank
Filter	cloth
Product size	690x570x995 mm
GW/NW (KG)	23.0/20.0

Features

- Double motor
- Safety switch
- Drainage device
- Moving easily
- Professional water picking up brush
- Big floor/carpet brush

Standard accessories



Wet cleaning



Carpet use



Gap use



Out door use



Drain device



Accessories storage



Specifications

GPVC80

Model number	GPVC80_Heavy duty
Power / (W)	4500W_3 motor_ 220V/50Hz
Air flow (m3/Min)	1.7+-0.15 / 2.5+-0.15
Vacuum pressure (Kpa)	16.5+-1.5 / 17.5+-1.5
Noice (LpA)	78+-2 / 80+-2 dB(A)
Dust capacity	80L
Cable length	5m
Material	Steel tank
Filter	cloth
Product size	690x580x995 mm
GW/NW (KG)	23.0/20.0



Wet cleaning



Carpet use



Gap use



Out door use



Drain device



Accessories storage



Standard accessories



GPFD950

Features

- Carpet and pad drying
- Other heavy-duty air circulation needs

Specifications

Volt/Freq.	220~240V 50Hz
Power(W)	450/550/700
Suction Power(W)	-
Airflow(m ³ /min)	-
Vacuum pressure(m/sec)	12.0±1.0 / 14.5±1.0 / 16.5±1.0
Noise (LpA)	68±2 / 70±2 / 73±2 dB(A)
Cable Length(total)	5.0 m
Dust Capacity	-
Product Size	514x429x949 mm
Carton Measurement(LxWxH)	522x445x535 mm
G.W./N.W.(Kg)	15.7/14.3
Load Quantity (20'/40'/40'HQ)	420/448/558 Pcs



Positionable
airflow

